



1. Briefly attempt to open the airway

If they start breathing, RED; if they don't start breathing, BLACK. If you must leave an unconscious victim, put them in the recovery position.

2. Control major bleeding

Apply a pressure bandage or enlist bystanders to apply direct pressure.

3. Check mental status

Can they follow simple commands?

- Flag patient with a length of color tape around the upper arm.
- Tear off an inch of the tape and put it in your pocket for a later tally of patients.

Red	Critical / Immediate Treatment Respirations > 30/minute, OR Pulse – NO radial, OR Mental – can NOT follow commands Unconscious AND breathing
Yellow	Injured / Delayed Treatment
Green	Minor or No Injuries
Black & White	Dead / Mortally Injured
	Unconscious NOT breathing

Red	Critical / Immediate Treatment
	R espirations > 30/minute, O R P ulse – NO radial, O R M ental – can NOT follow commands Unconscious AND breathing
Yellow	Injured / Delayed Treatment
Green	Minor or No Injuries
Black & White	Dead / Mortally Injured
	Unconscious NOT breathing

Red	Critical / Immediate Treatment
	R espirations > 30/minute, O R P ulse – NO radial, O R M ental – can NOT follow commands Unconscious AND breathing
Yellow	Injured / Delayed Treatment
Green	Minor or No Injuries
Black & White	Dead / Mortally Injured
	Unconscious NOT breathing

Red	Critical / Immediate Treatment
	R espirations > 30/minute, O R P ulse – NO radial, O R M ental – can NOT follow commands Unconscious AND breathing
Yellow	Injured / Delayed Treatment
Green	Minor or No Injuries
Black & White	Dead / Mortally Injured
	Unconscious NOT breathing

Red	Critical / Immediate Treatment
	R espirations > 30/minute, O R P ulse – NO radial, O R M ental – can NOT follow commands Unconscious AND breathing
Yellow	Injured / Delayed Treatment
Green	Minor or No Injuries
Black & White	Dead / Mortally Injured
	Unconscious NOT breathing

Red	Critical / Immediate Treatment
	R espirations > 30/minute, O R P ulse – NO radial, O R M ental – can NOT follow commands Unconscious AND breathing
Yellow	Injured / Delayed Treatment
Green	Minor or No Injuries
Black & White	Dead / Mortally Injured
	Unconscious NOT breathing

Red	Critical / Immediate Treatment
	R espirations > 30/minute, O R P ulse – NO radial, O R M ental – can NOT follow commands Unconscious AND breathing
Yellow	Injured / Delayed Treatment
Green	Minor or No Injuries
Black & White	Dead / Mortally Injured
	Unconscious NOT breathing

●

1. Briefly attempt to open the airway

If they start breathing, RED; if they don't start breathing, BLACK. If you must leave an unconscious victim, put them in the recovery position.

2. Control major bleeding

Apply a pressure bandage or enlist bystanders to apply direct pressure.

3. Check mental status

Can they follow simple commands?

- Flag patient with a length of color tape around the upper arm.
- Tear off an inch of the tape and put it in your pocket for a later tally of patients.

●

1. Briefly attempt to open the airway

If they start breathing, RED; if they don't start breathing, BLACK. If you must leave an unconscious victim, put them in the recovery position.

2. Control major bleeding

Apply a pressure bandage or enlist bystanders to apply direct pressure.

3. Check mental status

Can they follow simple commands?

- Flag patient with a length of color tape around the upper arm.
- Tear off an inch of the tape and put it in your pocket for a later tally of patients.

●

1. Briefly attempt to open the airway

If they start breathing, RED; if they don't start breathing, BLACK. If you must leave an unconscious victim, put them in the recovery position.

2. Control major bleeding

Apply a pressure bandage or enlist bystanders to apply direct pressure.

3. Check mental status

Can they follow simple commands?

- Flag patient with a length of color tape around the upper arm.
- Tear off an inch of the tape and put it in your pocket for a later tally of patients.

●

1. Briefly attempt to open the airway

If they start breathing, RED; if they don't start breathing, BLACK. If you must leave an unconscious victim, put them in the recovery position.

2. Control major bleeding

Apply a pressure bandage or enlist bystanders to apply direct pressure.

3. Check mental status

Can they follow simple commands?

- Flag patient with a length of color tape around the upper arm.
- Tear off an inch of the tape and put it in your pocket for a later tally of patients.

●

1. Briefly attempt to open the airway

If they start breathing, RED; if they don't start breathing, BLACK. If you must leave an unconscious victim, put them in the recovery position.

2. Control major bleeding

Apply a pressure bandage or enlist bystanders to apply direct pressure.

3. Check mental status

Can they follow simple commands?

- Flag patient with a length of color tape around the upper arm.
- Tear off an inch of the tape and put it in your pocket for a later tally of patients.

●

1. Briefly attempt to open the airway

If they start breathing, RED; if they don't start breathing, BLACK. If you must leave an unconscious victim, put them in the recovery position.

2. Control major bleeding

Apply a pressure bandage or enlist bystanders to apply direct pressure.

3. Check mental status

Can they follow simple commands?

- Flag patient with a length of color tape around the upper arm.
- Tear off an inch of the tape and put it in your pocket for a later tally of patients.